UL Product **iQ**[™]

VFXT.EX2709 - Hangers, Pipe

Hangers, Pipe

See General Information for Hangers, Pipe

HILTI INC

7250 Dallas Pky , Legacy Tower Suite 1000 Plano, TX 75024 USA **Pipe hangers**

Model Designation	Hanger Type	Rod Size	NPS*	Comments
00257366	Universal Beam Clamp	3/8	Up to 4	-
00257367	Universal Beam Clamp	1/2	Up to 8	-
00257368	Universal Beam Clamp	5/8	Up to 10	-
00257369	Universal Beam Clamp	3/4	Up to 12	-
00306600	Universal Beam Clamp	3/8	Up to 4	-
00306601	Universal Beam Clamp	1/2	Up to 8	-
00306602	Universal Beam Clamp	3/8	Up to 4	-
00306603	Universal Beam Clamp	1/2	Up to 8	-
ВС	Universal Beam Clamp	3/4	Up to 10	-
ВС	Universal Beam Clamp	5/8	Up to 10	-
ВС	Universal Beam Clamp	1/2	Up to 8	-
ES	Eyelet	3/8	Up to 4	-
LH	Band Hanger	1/2	8	EG (electro-galvanized), HD (felt-lined over EG), FL (hot- dipped)

EX2709

(UL)

OES	Offset Eyelet	3/8	Up to 4	-
SDC-EG	Clevis Hanger	1/2	2-1/2, 3, 3- 1/2	-
SDC-EG	Clevis Hanger	5/8	4, 5	-
SDC-EG	Clevis Hanger	3/4	6, 8	-

Cast-in-place concrete installations:

Rod Size	Hanger Type	NPS*	Comments
3/4 t	Cast-in-place Concrete Insert	12	Also suitable for air-handling spaces.
5/8 t	Cast-in-place Concrete Insert	Up to 12	Also suitable for air-handling spaces.
3/8 t	Cast-in-place Concrete Insert	Up to 4	Also suitable for air-handling spaces.
t 1/2	Cast-in-place Concrete Insert	Up to 8	Also suitable for air-handling spaces.
3/8 t	Cast-in-place Concrete Insert	Up to 4	Also suitable for air-handling spaces.
3/4 t	Cast-in-place Concrete Insert	Up to 8	Also suitable for air-handling spaces.
5/8 t	Cast-in-place Concrete Insert	Up to 8	Also suitable for air-handling spaces.
t 1/2 , 5/8 , 3/4	Cast-in-place Concrete Insert	Up to 8	Also suitable for air-handling spaces.
3/8 t	Cast-in-place Concrete Insert	Up to 4	UL Listing does not cover the 1/4 inch rod size. Also suitable for air-handling spaces.
3/8 t	Cast-in-place Concrete Insert	Up to 4	Also suitable for air-handling spaces.
1/2		Up to 8	Also suitable for air-handling spaces.
3/8 t	Cast-in-place Concrete Insert	Up to 4	Also suitable for air-handling spaces.
1/2		Up to 8	Also suitable for air-handling spaces.
5/8		Up to 8	When installed on lower flute, either on or to the side of the center rib line. Also suitable for air-handling spaces.
			5/8 Up

			<u></u>	EX2709 - Hangers, Pipe UL Product IQ
		5/8	Up to 12	When installed on upper flute. Also suitable for air-handling spaces
KCM-MD SP 5/8-3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 8	When installed on the lower flute to the side of the center rib line.
		5/8, 3/4	Up to 12	Also suitable for air-handling spaces.
KCM-MD LP 1/4-3/8	Cast-in-place Concrete Insert	3/8	Up to 4	UL Listing does not cover the 1/4 inch rod size. Also suitable for air-handling spaces.
KCM-MD LP 3/8-1/2	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
		1/2	Up to 8	Also suitable for air-handling spaces.
KCM-MD LP 3/8-1/2-5/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
		1/2	Up to 8	Also suitable for air-handling spaces.
		5/8	Up to 8	When installed on lower flute, either on or to the side of the center rib line. Also suitable for air-handling spaces.
		5/8	Up to 12	When installed on upper flute. Also suitable for air-handling spaces
KCM-MD LP 5/8-3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 12	Also suitable for air-handling spaces.
KCM-PD-1/4- 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	UL Listing does not cover the 1/4 inch rod size. Also suitable for air-handling spaces.
KCM-PD-3/8- 1/2-5/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-PD-3/8- 1/2-5/8	Cast-in-place Concrete Insert	1/2, 5/8	Up to 8	Also suitable for air-handling spaces.
KCM-PD-3/8- 1/2-5/8-3/4	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-PD-3/8- 1/2-5/8-3/4	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCM-PD-3/8- 1/2-5/8-3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 12	Also suitable for air-handling spaces.
KCM-WF-1/4- 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	UL Listing does not cover the 1/4 inch rod size. Also suitable for air-handling spaces.

KCM-WF-3/8- 1/2	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-3/8- 1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCM-WF-3/8- 1/2-5/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-3/8- 1/2-5/8	Cast-in-place Concrete Insert	1/2, 5/8	Up to 8	Also suitable for air-handling spaces.
KCM-WF-3/8- 1/2-5/8-3/4	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-3/8- 1/2-5/8-3/4	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCM-WF-3/8- 1/2-5/8-3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 12	Also suitable for air-handling spaces.
KCS-MD	Cast-in-place Concrete Insert	5/8	Up to 12	Also suitable for air-handling spaces.
KCS-MD	Cast-in-place Concrete Insert	3/4	12	Also suitable for air-handling spaces.
KCS-MD	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCS-MD	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCS-WF	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCS-WF	Cast-in-place Concrete Insert	5/8	Up to 8	Also suitable for air-handling spaces.
KCS-WF	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCS-WF	Cast-in-place Concrete Insert	3/4	Up to 8	Also suitable for air-handling spaces.
KCC-MD-LP 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCC-MD-LP 1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCC-MD-SP 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCC-MD-SP 1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.

KCC-WF 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCC-WF 1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.

LP = Long Plate

MD = Metal Decking

PD = Pan Decking

SP = Short Plate

WF = Wood Form

For installation in concrete:

Model Designation	Hanger Type	Rod Size	NPS*	Comments
HDI 1/2	Drop-In Anchor	1/2	Up to 8	-
HDI 3/4	Drop-In Anchor	3/4	12	-
HDI 3/8	Drop-In Anchor	3/8	Up to 4	-
HDI 5/8	Drop-In Anchor	5/8	10, 12	-
HDI+	Drop-In Anchor	3/8	Up to 4	-
HDI+	Drop-In Anchor	1/2	Up to 8	-
HDI-L 1/2	Drop-ln Anchor	1/2	Up to 8	-
HDI-L 3/8	Drop-In Anchor	3/8	Up to 4	-
HDI-L+	Drop-In Anchor	3/8	Up to 4	-
HDI-L+	Drop-In Anchor	1/2	Up to 8	-
HDI-P TZ 3/8	Expansion Anchor	3/8	Up to 4	-
HDV 1/2	Drop-In Anchor	1/2	Up to 8	-
HDV 3/8	Drop-In Anchor	3/8	Up to 4	-

	_	_	_	
KB-VTZ 1/2	Expansion Anchor	1/2	Up to 8	-
KB-VTZ 3/4	Expansion Anchor	3/4	Up to 12	-
KB-VTZ 3/8	Expansion Anchor	3/8	Up to 4	-
KB-VTZ 5/8	Expansion Anchor	5/8	Up to 10	4-3/4 and 6 inch anchor length with minimum 3-5/16 in. nominal embedment depth.
KB-VTZ 5/8	Expansion Anchor	5/8	Up to 12	6 inch anchor length with minimum 4-9/16 in. nominal embedment depth.
KBV 1/2	Expansion Anchor	1/2	5, 6, 7, 8	-
KBV 3/4	Expansion Anchor	3/4	12	-
KBV 3/8	Expansion Anchor	3/8	Up to 4	-
KBV 5/8	Expansion Anchor	5/8	10, 12	-
КВ1	Expansion Anchor	3/8	Up to 4	-
КВ1	Expansion Anchor	1/2	Up to 8	-
КВ1	Expansion Anchor	5/8	Up to 10	Minimum 3-1/4" nominal embedment depth
КВ1	Expansion Anchor	5/8	Up to 12	Minimum 4-1/2" nominal embedment depth
КВ1	Expansion Anchor	3/4	Up to 12	-
Kwik Bolt 3- 1/2	Expansion Anchor	1/2	5, 6, 7, 8	-
Kwik Bolt 3- 3/4	Expansion Anchor	3/4	12	-
Kwik Bolt 3- 3/8	Expansion Anchor	3/8	Up to 4	-
Kwik Bolt 3- 5/8	Expansion Anchor	5/8	10, 12	-
Kwik Bolt TZ 1/2	Expansion Anchor	1/2	5, 6, 7, 8	-
Kwik Bolt TZ 3/4	Expansion Anchor	3/4	12	-

Kwik Bolt TZ 3/8	Expansion Anchor	3/8	Up to 4	-
Kwik Bolt TZ 5/8	Expansion Anchor	5/8	10, 12	-
КВ-ТZ2	Expansion Anchor	3/8	Up to 4	-
KB-TZ 2	Expansion Anchor	1/2	Up to 8	Minimum 2-1/2" nominal embedment depth
КВ-ТΖ 2	Expansion Anchor	5/8	Up to 10	Minimum 3-1/4" nominal embedment depth
КВ-ТΖ 2	Expansion Anchor	5/8	Up to 12	Minimum 3-3/4" nominal embedment depth
КВ-ТΖ 2	Expansion Anchor	3/4	Up to 12	-

*NPS = Nominal Pipe Size

Last Updated on 2020-12-01

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"