

# HIT-HY 200-A

Safety information for 2-Component-products

Issue date: 03/08/2021

Revision date: 03/08/2021

Supersedes: 20/12/2018

Version: 3.7

## **SECTION 1: Kit identification**

## **1.1 Product identifier**

Product name Product code HIT-HY 200-A BU Anchor



Hilti France S.A.S. 126 rue Gallieni 92100 Boulogne-Billancourt - France T +33 825 01 05 05 <u>fr-contactez-nous@hilti.com</u>

## **SECTION 2: General information**

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

## **SECTION 3: Kit contents**

## **Classification of the Product**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2H319Skin Sens. 1H317Aquatic Acute 1H400Aquatic Chronic 1H410

Full text of H-statements: see section 16

## Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



Warning methacrylates, dibenzoyl peroxide H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

GHS09

GHS07



# HIT-HY 200-A

Kit SIS (Safety Information Sheet)

 Precautionary statements (CLP)
 H410 - Very toxic to aquatic life with long lasting effects.

 Precautionary statements (CLP)
 P280 - Wear eye protection, protective clothing, protective gloves.

 P262 - Do not get in eyes, on skin, or on clothing.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P337+P313 - If eye irritation persists: Get medical advice/attention.

 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases

## Additional information

2-Component-foilpack, contains: Component A: Urethane methacrylate resin, inorganic filler Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HIT-HY 200-A, B		1	pcs (pieces)	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
НІТ-НҮ 200-А, А		1	pcs (pieces)	Skin Sens. 1, H317

## **SECTION 4: General information**

General advice

For professional users only

SECTION 5: Safe handling advi	ice
General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

SECTION 6: First aid measures	
First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists



# HIT-HY 200-A

Kit SIS (Safety Information Sheet)

First-aid measures after ingestion	Rinse mouth Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air Allow the victim to rest
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	Causes serious eye irritation.
Symptoms/effects after skin contact	May cause an allergic skin reaction.

<b>SECTION 7: Fire fighting measures</b>	
Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

# **SECTION 8: Other information**

No data available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 03/08/2021 Revision date: 03/08/2021 Supersedes version of: 04/10/2018

Version: 3.5

# SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
Product form
Product name
Product code

Mixture HIT-HY 200-A, A BU Anchor

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture For professional use only Composite mortar component for fasteners in the construction industry

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti France S.A.S.	Hilti Entwicklungsgesellschaft mbH
126 rue Gallieni	Hiltistraße 6
92100 Boulogne-Billancourt - France	86916 Kaufering - Deutschland
T +33 825 01 05 05	T +49 8191 906876
fr-contactez-nous@hilti.com	anchor.hse@hilti.com

### 1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

## **SECTION 2 Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin sensitisation, Category 1 H317 Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) Warning 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester; 2-Propenoic acid, 2-methyl-, monoester Contains with 1,2-propanediol Hazard statements (CLP) H317 - May cause an allergic skin reaction. Precautionary statements (CLP) P280 - Wear eye protection, protective clothing, protective gloves. P262 - Do not get in eyes, on skin, or on clothing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 - IF ON SKIN: Wash with plenty of water. P337+P313 - If eye irritation persists: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
(2002-01-7)	
Aluminum oxide (Al2O3) (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, monoester with 1,2-	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
propanediol (27813-02-1)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Aerosil R 812 / Cab-O-Sil TS 530 (68909-20-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
TREATED FUMED SILICA (67762-90-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester(2082-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Aluminum oxide (Al2O3)(1344-28-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Aerosil R 812 / Cab-O-Sil TS 530(68909-20-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
TREATED FUMED SILICA(67762-90-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 3 Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	CAS-No. 2082-81-7 EC-No. 218-218-1 REACH-no 01-2119967415- 30	10 – 25	Skin Sens. 1B, H317
Aluminum oxide (Al2O3) substance with national workplace exposure limit(s) (FR)	CAS-No. 1344-28-1 EC-No. 215-691-6 REACH-no 01-2119529248- 35	5 – 10	Not classified
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol	CAS-No. 27813-02-1 EC-No. 248-666-3 EC Index-No. 607-125-00-5 REACH-no 01-2119490226- 37	5-8	Eye Irrit. 2, H319 Skin Sens. 1, H317
Aerosil R 812 / Cab-O-Sil TS 530 substance with national workplace exposure limit(s) (FR)	CAS-No. 68909-20-6 EC-No. 272-697-1	1 – 3	Not classified
TREATED FUMED SILICA substance with national workplace exposure limit(s) (FR)	CAS-No. 67762-90-7	1 – 3	Not classified
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No. 38668-48-3 EC-No. 254-075-1 REACH-no 01-2119980937- 17	0 – 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

# **SECTION 4 First aid measures**

4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.1. Extinguishing media	
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

6.1. Personal precautions, protective equip	oment and emergency procedures
General measures	Spilled material may present a slipping hazard.
6.1.1. For non-emergency personnel Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify a	uthorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
East anotalised and	

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local
	legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	Keep cool. Protect from sunlight.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight.
7.3. Specific end use(s)	
No additional information available	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# SECTION 8 Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

Aluminum oxide (Al2O3) (1344-28-1)		
France - Occupational Exposure Limits		
Local name	Aluminium (trioxyde de di-)	
VME (OEL TWA)	10 mg/m <sup>3</sup>	
TREATED FUMED SILICA (67762-90-7)		
France - Occupational Exposure Limits		
VME (OEL TWA)	10 mg/m³	
	5 mg/m³	
Aerosil R 812 / Cab-O-Sil TS 530 (68909-20-6)		
France - Occupational Exposure Limits		
VME (OEL TWA)	10 mg/m <sup>3</sup>	
	5 mg/m³	

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Appropriate engineering controls Ensure adequate ventilation.

## 8.2.2. Personal protection equipment

#### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

#### Eye protection

Wear security glasses which protect from splashes

## Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

## 8.2.2.2. Skin protection

Skin and body protection

Wear suitable protective clothing



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

### Other skin protection

Materials for protective clothing

Long sleeved protective clothing

## 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls** Not applicable.

## **Consumer exposure controls**

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

## **SECTION 9** Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Light grey.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	240 °C
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	> 109 °C DIN EN ISO 1523
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
рН	Not available
pH solution	Not available
Viscosity, kinematic	Not applicable
Viscosity, dynamic	35 – 65 Pa⋅s (HN-0333)
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1,8 g/ml AW 4.3.23
Relative density	Not available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

- Relative vapour density at 20 °CIParticle sizeIParticle size distributionIParticle shapeIParticle aspect ratioIParticle aggregation stateIParticle specific surface areaIParticle dustinessI
  - Not applicable Not available Not available

### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10 Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11 Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
Aluminum oxide (Al2O3) (1344-28-1)		
LD50 oral rat	> 15900 mg/kg	
LC50 Inhalation - Rat	7,6 mg/l	
ATE CLP (vapours)	7,6 mg/l/4h	
ATE CLP (dust,mist)	7,6 mg/l/4h	
TREATED FUMED SILICA (67762-90-7)		
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)		
LD50 oral rat	25 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
ATE CLP (oral)	25 mg/kg bodyweight	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2	2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LD50 oral rat	10066 mg/kg	
LD50 dermal rat	> 3000 mg/kg	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ATE CLP (oral)	10066 mg/kg bodyweight
2-Propenoic acid, 2-methyl-, monoester v	vith 1,2-propanediol (27813-02-1)
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg
	bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
Aerosil R 812 / Cab-O-Sil TS 530 (68909-2	0-6)
LD50 oral rat	> 2000 mg/kg (Rat, Oral)
Skin corrosion/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

No additional information available

## 11.2.2. Other information

Potential adverse human health effects and symptoms

No additional information available

SECTION 12 Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term (acute)	Not classified	
Hazardous to the aquatic environment, long-term	Not classified	
(chronic)		
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)		
LC50 - Fish [1]	≈ 17 mg/l	
LC50 - Other aquatic organisms [1]	245 mg/l	
EC50 - Crustacea [1]	28,8 mg/l	
NOEC (acute)	57,8 mg/l	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2	2082-81-7)	
LC50 - Other aquatic organisms [1]	9,79 mg/l	
NOEC (acute)	7,51 mg/l	
NOEC (chronic)	20 mg/l	
2-Propenoic acid, 2-methyl-, monoester with 1,2-pr	opanediol (27813-02-1)	
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)	
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)	
ErC50 algae	97,2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella	
	subcapitata, Static system, Fresh water, Experimental value, GLP)	
Threshold limit - Algae [1]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-Propenoic acid, 2-methyl-, monoester with 1,2-	
Threshold limit - Algae [2]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
12.2. Persistence and degradability	
HIT-HY 200-A, A	
Persistence and degradability	Not established.
TREATED FUMED SILICA (67762-90-7)	
Persistence and degradability	Biodegradability in soil: no data available.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	(2082-81-7)
Biodegradation	84 %
2-Propenoic acid, 2-methyl-, monoester with 1,2-	propanediol (27813-02-1)
Persistence and degradability	Readily biodegradable in water.
Aerosil R 812 / Cab-O-Sil TS 530 (68909-20-6)	
Persistence and degradability	Biodegradability in water: no data available.
12.3. Bioaccumulative potential	
НТ-НҮ 200-А, А	
Bioaccumulative potential	Not established.
IREATED FUMED SILICA (67762-90-7)	
Bioaccumulative potential	No bioaccumulation data available.
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
Partition coefficient n-octanol/water (Log Kow)	2,1
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	(2082-81-7)
Partition coefficient n-octanol/water (Log Pow)	3,1
2-Propenoic acid, 2-methyl-, monoester with 1,2-	propanediol (27813-02-1)
3CF - Fish [1]	≤ 100
3CF - Fish [2]	3,2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0,97 (OECD 102 method)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).
Aerosil R 812 / Cab-O-Sil TS 530 (68909-20-6)	
Bioaccumulative potential	No bioaccumulation data available.
•	
12.4. Mobility in soil	
2-Propenoic acid, 2-methyl-, monoester with 1,2-	
Partition coefficient n-octanol/water (Log Koc)	1,9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
12 E. Doculto of DDT and vDvD appacement	
12.5. Results of PBT and vPvB assessment	
HT-HY 200-A, A	
This substance/mixture does not meet the PBT criter	
This substance/mixture does not meet the vPvB crite	
Component	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
2082-81-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Aluminum oxide (Al2O3) (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, monoester with 1,2-	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
propanediol (27813-02-1)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Aerosil R 812 / Cab-O-Sil TS 530 (68909-20-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
TREATED FUMED SILICA (67762-90-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Endocrine disrupting properties

No additional information available



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.7. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13 Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	Disposal must be done according to official regulations.	
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	Avoid release to the environment.	
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances	
	20 01 27* - paint, inks, adhesives and resins containing dangerous substances	

# SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	RID	
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	

### 14.6. Special precautions for user

Overland transport Not regulated

Transport by sea

Not regulated

Air transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 15 Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list  $\geq$  0,1 % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 65 Eczematiform lesions of allergic mechanism	

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16 Other information**

#### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Modified	
	REGULATION (EU) 2020/878		

Abbreviations and acron	lyms
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Other information

None.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	Full text of H- and EUH-statements:		
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		
H300	Fatal if swallowed.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H412	Harmful to aquatic life with long lasting effects.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 03/08/2021 Revision date: 03/08/2021 Supersedes version of: 04/10/2018

Version: 3.7

# SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
Product form
Product name
Product code

Mixture HIT-HY 200-A, B BU Anchor

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture For professional use only Composite mortar component for fasteners in the construction industry

### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti France S.A.S.	Hilti Entwicklungsgesellschaft mbH
126 rue Gallieni	Hiltistraße 6
92100 Boulogne-Billancourt - France	86916 Kaufering - Deutschland
T +33 825 01 05 05	T +49 8191 906876
fr-contactez-nous@hilti.com	anchor.hse@hilti.com

## 1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

# **SECTION 2 Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Serious eye damage/eye irritation, Category 2	H319	
Skin sensitisation, Category 1	H317	
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400	
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410	
Full text of H-statements: see section 16		

### Adverse physicochemical, human health and environmental effects No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)

Signal word (CLP) Contains Hazard statements (CLP)

Precautionary statements (CLP)



GHS07	GHS09
Warning	
dibenzoyl perox	ide
H317 - May cau	ise an allergic skin reaction.
H319 - Causes	serious eye irritation.
H410 - Very tox	ic to aquatic life with long lasting effects.
P280 - Wear ey	e protection, protective clothing, protective gloves.
P262 - Do not g	jet in eyes, on skin, or on clothing.
P305+P351+P3	338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing. P302+P352 - IF ON SKIN: Wash with plenty of water. P337+P313 - If eye irritation persists: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. 07D3-J66M-M11V-2YF2

UFI

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component		
Aluminum oxide (Al2O3) (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Aluminum oxide (Al2O3)(1344-28-1)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
dibenzoyl peroxide(94-36-0)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3 Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminum oxide (Al2O3)	CAS-No. 1344-28-1	10 – 25	Not classified
substance with national workplace exposure limit(s)	EC-No. 215-691-6		
(FR)	REACH-no 01-2119529248-		
	35		
dibenzoyl peroxide	CAS-No. 94-36-0	10 - 15	Org. Perox. B, H241
substance with national workplace exposure limit(s)	EC-No. 202-327-6		Eye Irrit. 2, H319
(FR)	EC Index-No. 617-008-00-0		Skin Sens. 1, H317
	REACH-no 01-2119511472-		Aquatic Acute 1, H400 (M=10)
	50		Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4 First aid measures	
4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5 Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Special hazards arising from the substa	nce or mixture
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measure	ures
6.1. Personal precautions, protective equipm	ent and emergency procedures
General measures	Spilled material may present a slipping hazard.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify auth	orities if liquid enters sewers or public waters.
6.3. Methods and material for containment ar	nd cleaning up
For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including an	ny incompatibilities
Storage conditions	Keep cool. Protect from sunlight.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

dibenzoyl peroxide (94-36-0)	
France - Occupational Exposure Limits	
Local name	Peroxyde de dibenzoyle
VME (OEL TWA)	5 mg/m³
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Aluminum oxide (Al2O3) (1344-28-1)	
France - Occupational Exposure Limits	
Local name	Aluminium (trioxyde de di-)
VME (OEL TWA)	10 mg/m <sup>3</sup>

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Appropriate engineering controls

Ensure adequate ventilation.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

#### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

#### Eye protection

Wear security glasses which protect from splashes

#### Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

## 8.2.2.2. Skin protection

## Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

#### Other skin protection

Materials for protective clothing

Long sleeved protective clothing

### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

Environmental exposure controls Not applicable.

### **Consumer exposure controls**

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

## **SECTION 9** Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state Colour Appearance Odour Solid white. Thixotropic paste. characteristic.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Not determined

Non flammable.

Not applicable Not applicable

Not applicable

Not applicable

Not available

Not available

Not applicable 25 – 55 Pa·s HN-0333

Not available

Not available

Not available

Not applicable

Not available

1,9 g/cm<sup>3</sup>

23 hPa

6 - 7

Not self-igniting

Product is not explosive.

65 °C dibenzoyl peroxide

Water Miscible with water

Not available

Not available

100 °C

Odour threshold Melting point Freezing point Boiling point Flammability Explosive properties Explosive limits Lower explosive limit (LEL) Upper explosive limit (UEL) Flash point Auto-ignition temperature Decomposition temperature SADT pН pH solution Viscosity, kinematic Viscosity, dynamic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50 °C Density Relative density Relative vapour density at 20 °C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state Particle specific surface area Particle dustiness

## 9.2. Other information

**9.2.1. Information with regard to physical hazard classes** No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

03/08/2021 (Version: 3.7)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **10.6. Hazardous decomposition products**

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11 Toxicological information**

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Aluminum oxide (Al2O3) (1344-28-1)	
LD50 oral rat	> 15900 mg/kg
LC50 Inhalation - Rat	7,6 mg/l
ATE CLP (vapours)	7,6 mg/l/4h
ATE CLP (dust,mist)	7,6 mg/l/4h
Skin corrosion/irritation	Not classified
	pH 6 – 7
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation.
	pH 6 – 7
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
dibenzoyl peroxide (94-36-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

11.2. Information on other hazards

No additional information available

# **SECTION 12 Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term	Very toxic to aquatic life with long lasting effects.
(chronic)	
dibenzoyl peroxide (94-36-0)	
LC50 - Fish [2]	0,0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0,11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,
	Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0,0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella
	subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0,0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0,001 mg/l



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HIT-HY 200-A, B	
Persistence and degradability	Not established.
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in
	the environment.
12.3. Bioaccumulative potential	
HIT-HY 200-A, B	
Bioaccumulative potential	Not established.
dibenzoyl peroxide (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3,71
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
12.4. Mobility in soil	
dibenzoyl peroxide (94-36-0)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Koc)	3,8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on
	Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental
	value)
Ecology - soil	Low potential for mobility in soil.
	•
12.5. Results of PBT and vPvB assessmen	đ
НІТ-НҮ 200-А, В	
This substance/mixture does not meet the PBT crite	
This substance/mixture does not meet the vPvB cri	teria of REACH regulation, annex XIII

Component		
Aluminum oxide (Al2O3) (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13 Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste) Product/Packaging disposal recommendations	Disposal must be done according to official regulations. After curing, the product can be disposed of with household waste Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials European List of Waste (LoW) code	Avoid release to the environment. 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27* - paint, inks, adhesives and resins containing dangerous substances	

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide) ENVIRONMENTA HAZARDOUS SUBS SOLID, N.O.S. (dibenzoyl peroxide)		Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III
14.3. Transport hazard class(es)	I		
9	9	9	9
14.4. Packing group			
III	III	III	Ш
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment Yes
not restricted according ADR Specia	al Provision SP375, IATA-DGR Speci	al Provision A197 and IMDG-Code 2.7	10.2.7

## 14.6. Special precautions for user

## Overland transport

Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	: MP10
Transport category (ADR)	: 3
Orange plates	90 3077
Tunnel restriction code (ADR)	: -
Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Packing instructions (IMDG)	: LP02, P002
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Stowage category (IMDG) Stowage and handling (IMDG)	: A : SW23
<b>Air transport</b> PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) Special provisions (IATA)	: 956 : 400kg : 956 : A97, A158, A179, A197, A215
Rail transport Special provisions (RID) Limited quantities (RID) Packing instructions (RID)	: 274, 335, 375, 601 : 5kg : P002, IBC08, LP02, R001

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15 Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16 Other information**

#### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Modified	
	REGULATION (EU) 2020/878		

Abbreviations a	nd acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

None.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Org. Perox. B	Organic Peroxides, Type B	
Skin Sens. 1	Skin sensitisation, Category 1	
H241	Heating may cause a fire or explosion.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.